



Date issued 11/02/2013

Quality Paint Products for Protection and Decoration

02100 : HI COVER ACRYLIC - ALL COLOURS



SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Code	02100	Product Name	HI COVER ACRYLIC - ALL COLOURS		
CAS No.	Not applicable	EU Index No	Not applicable	UN No	Not
Recommended use	A paint or paint constituent product				
Company name	Prodec Paints cc				
Postal address	PO Box 378, New Germany, -, 3620				
Physical address	8 Goshawk Road, Falcon Park, New Germany, 3610				
Telephone	031 705 4666				
Facsimile	086 273 4413				
Emergency contact	- at (TEL:) -				

SECTION 2. HAZARDS IDENTIFICATION

Overall Nature	EC Classification : Not classified as hazardous
Classification reference	SABS0265 (Directives 67/548/EEC or 1999/45/EC) :
Danger symbol	EC Classification : Not classified as hazardous
HMIS Rating (USA)	0 - 0 - 0 - C (Health-Flam-Reactivity-PPE)
SAPMA Health Rating	4-MINIMAL - No great risk to health
Inhalation	Avoid exposure to vapours, fumes and mists.
Skin	No hazard expected if used in moderation.
Eyes	No direct hazard is expected but possible contact with any chemical must always be avoided.
Ingestion	Irritating and nauseating.
	May have short term environmental effects. Contain, monitor & remove

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

No significant quantity of other classified hazardous substances present.

SECTION 4. FIRST AID MEASURES

Inhalation	Move to fresh air.
Skin	Always wash after handling chemical substances.
Eyes	In case of any contact and discomfort rinse well with water and seek medical advice.
Ingestion	Wash mouth with plenty of water. Do NOT induce vomiting. seek medical attention.

SECTION 5. FIRE FIGHTING MEASURES

Non-combustible. Gives off toxic fumes at high temperatures.
No direct explosion hazard expected.
Cool with water spray or fog. Contain run-off - keep out of Storm water drains.

SECTION 6. ACCIDENTAL RELEASE MEASURES - SEE ALSO SECTIONS 5, 8, 13

Contain & collect. Keep out of drains and sewers

SECTION 7. HANDLING AND STORAGE

Store separately from any reactive substances - oxidisers in particular.
Store away from combustible substances.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	CAS Number	OEL (mg/m ³)	OEL (ppm)	STOEL (mg/m ³)	STOEL (ppm)	OEL Type
HI COVER ACRYLIC - ALL COLOURS Line above is the msds subject	- Not applicable	-----	-----	-----	-----	-----

HMIS Rating (USA) 0 - 0 - 0 - C (Health-Flam-Reactivity-PPE)
SAPMA Rating 4-H-C PPE : Gloves, Eye protection
Inhalation In case of insufficient ventilation, use suitable respiratory protection.
Skin Use only as directed.
Eyes Avoid direct contact. Never touch eyes with dirty hands or gloves.
Ingestion Observe the rules fo hygiene. Wash before eating, drinking or smoking.



SPRAYBOOTH

Spraybooth Type Spraybooth complying with National Standards
Skin PPE Nitrile Gloves
Eyes PPE Faceshield or solvent resistant goggles
Respiratory Protection Air supplied full facepiece or head covering respirator suitable for organic vapours/particulates

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Property	Value
Appearance	Water based dispersion
Odour	Typical
pH	not available
Boiling point	>100°C
Melting point	not available
Flash point	n/a°C
Explosive prop	not available
Oxidizing prop	not available
Vapour pressure	not available
Density	not available
Water solubility	miscible
Fat solubility	Oil : miscible
Partition coeficient	not available
Viscosity	not available
Vapour density	not available
Evaporation rate	not available
Autoignition temperature	not available
L.E.L.	not available
U.E.L.	not available
% non volatile	not available

SECTION 10. STABILITY AND REACTIVITY

Stable under normal conditions
No reaction with fire-fighting water
Incompatible with/keep away from : explosives, UN class 2.3 gasses, oxidising substances, organic peroxides, toxic and biohazardous substances

SECTION 11. TOXICOLOGICAL INFORMATION

SECTION 12. ECOLOGICAL INFORMATION

May have short term environmental effects. Contain, monitor & remove

SECTION 13. DISPOSAL INFORMATION

Use reputable waste disposal contractors. Exercise caution in disposal of used containers.

SECTION 14. TRANSPORT INFORMATION

UN Number Not applicable Not classified as dangerous for transport



SECTION 15. REGULATORY INFORMATION

EC Classification reference SABS0265 (Directives 67/548/EEC or 1999/45/EC) :

EC Index Number EC no. : n/a

Classification and Labelling EC Classification : Not classified as hazardous ; ;

Risk and Safety Phrases :

S2 - Keep out of reach of children. (Retail sales items)

SECTION 16. OTHER INFORMATION

IN CASE OF ANY DISCOMFORT ALWAYS SEEK MEDICAL ADVICE.

Risk (R) phrases associated with components

—
This MSDS conforms with General Administrative Regulations of 6 Sept.1996 (ISO-11014/ANSIZ400.1.1996)
OELs derived from OHS Act Regulations for Dangerous Chemical Substances of 25 Aug.1995 (EH-42)
SAPMA Rating - South African Paint Manufacturers Association Guide to Health Hazards (SABS ARP 006:1991)
All information is given in good faith but without guarantee in respect of accuracy.
No responsibility is accepted for errors or omissions or the consequences thereof.

(Date of issue : 11/02/2013 Date of analysis : 11/02/2013)